

I

1. (A) 2 (B) 4 (C) 1 (D) 3 (E) 3

2. 2

3. 1

4. 4

5. 2

II

1. (A) 1 (B) 4 (C) 1 (D) 2 (E) 2

2. 3

3. 2

4. 4

5. 2

III

A. 3 B. 3 C. 1 D. 3

X.

- (解答例 1) try to do what you really want to do (9 語)
- (解答例 2) try to take control of what you do (8 語)
- (解答例 3) try to take control of it (6 語)
- (解答例 4) do things that you really want to (7 語)

[Writing Question]

I strongly agree that patients should demand more information and control over their treatment. First, getting more information about their condition is essential for recovery, and being actively involved in their treatment facilitates quicker healing.. Trust in doctors is crucial, yet being informed about treatment is beneficial. This proactive stance not only strengthens patients' mental states but also enables a quicker recovery. Second, being active in their own treatment can lead to fewer medical mistakes. It is important to acknowledge that medical errors can occur, even among dependable doctors. However, by actively interacting with their doctors and asking questions, patients can reduce the risk of such mistakes. This proactive approach would make doctors more careful and cautious about their diagnosis, treatment, and therapy. Therefore, it is imperative for patients to advocate for more information from their doctors, fostering a collaborative relationship that enhances treatment outcomes.

(136 語)